

- NOTES FOR STANDARD CONNECTIONS BETWEEN GEOCELL SECTIONS:**
1. ADJACENT GEOCELL SECTIONS ARE STAPLED TOGETHER USING MANUFACTURER APPROVED STAPLERS AND STAPLES
 2. THE TOP EDGES OF ADJACENT CELL WALLS SHOULD BE HELD FLUSH WHEN STAPLING.
 3. SIDE CONNECTIONS BETWEEN EXPANDED GEOCELL SECTIONS SHOULD BE INTERLEAFED AS SHOWN IN FIGURE A. WELDED EDGE SEAMS SHOULD BE ALIGNED WHEN STAPLING.
 4. END CONNECTIONS BETWEEN GEOCELL SECTIONS SHOULD BE BUTTED AS SHOWN IN FIGURE B. THE LONGITUDINAL CENTER-LINES OF ABUTTING EXTERNAL CELLS SHOULD BE ALIGNED AND STAPLED AT THE CELL WALL CONTACT POINT.





FIGURE A
Side Connection Detail - Interleaved

FIGURE B
End Connection Detail - Abutted


STAPLED END CONNECTION DETAIL
n.t.s.




SECTION - A

SECTION - B

TYPICAL ANCHOR SYSTEM



STAKE ANCHOR INSTALL



TYPICAL GEOCELL LOAD SUPPORT SYSTEM
n.t.s

Date	
Designed	
Drawn	
Checked	
Approved	

GeoCell Support System



File No.
FL-578.dwg

Drawing No.

REVISIONS		
DATE	APPROVED	TITLE